


SUMMIT





SUMMIT reflects JEB's pledge to innovation. It features single and double-glazed partitions, slim-frame acoustic sliding doors, with quality guaranteed by ISO-certified laboratory tests. Its minimal extrusions mean even untrained contractors can install the system with ease.



SYSTEM FEATURES

- Flush floor track with adjustable rollers +/- 5mm
- JEB custom acoustic bulb seals
- Field tested to 35STC with 6+6mm laminated glass
- Ultra slim 38mm frames
- Lockable pull handle or custom patch lock
- Overhead structural support eliminated







-FLOOR GUIDE

TECH DRAWINGS

SINGLE GLAZED PARTITION & SLIDING DOOR






- ACOUSTIC FLOOR ROLLER


-FLOOR GUIDE



DOUBLE GLAZED PARTITION & SLIDING DOOR



HORIZONTAL SECTION




TECH DRAWINGS

DOUBLE GLAZED PARTITION & SWING DOOR



HARDWARE

Hinges should be JEB proprietary offset pivot hinge, available for frameless doors or as heavy duty version for double glazed doors. The hinges come with standard mounting bracket to suit DORMA floor springs. Handles and lockset can be selected from JEB's standard range of hardware.



STANDARD FINISHES


Anodising – matt natural, black and other options available on request Powdercoating – according to design specifications

PVF2 – According to design specifications.

ACCESSORIES

Manual / electric Venetian Blinds
Custom Glass Designs

Custom screens in partition cavity
Switchable Glass






SUMMIT TECHNICAL DATA SHEET

Please note that the table represents actual lab test performance

Type Construction	Single Sliding Door	Double Glazed Partition
Panel face / Finish – Sound insulation in STC	13.52mm laminated Glass - 30 dB	5+1.52+5mm, Cavity Width 33mm, Inner Pane: 5+1.52+5mm - STC 45



www.jebpartitions.com