



The DIVIDE partition system by JEB has been developed with ease of relocation and flexibility in mind while maintaining a streamlined and contemporary look and feel. Panels come in an unlimited range of finishes which simply 'hook' on to the load-bearing structure. This makes DIVIDE the perfect option for companies that have a high rate of churn.


PARTITIONS




DOUBLE GLASS PARTITION

A flush glazed system gives a contemporary outlook







SOLID PARTITION

Metal finish as a standard which can be changed to other finishes by simply changing the panels



DESIGN FLEXIBILITY

The load-bearing structure consisting of tracks and mullions provides for easy cladding whereby solid and glazed panels are interchangeable.

The panels simply hook on to the mullions which allow for any type of finish to be applied to the system including (but not limited to) metal, timber, fabric, stone and a huge range of glass from JEB Architectural Finishes. Inset whiteboards can be accommodated easily as well as acoustic panels.

DIVIDE provides a full range of doors including:

- $\boldsymbol{\cdot}$ Timber swing and sliding doors
- Frameless swing and sliding doors
- Double glass swing and sliding doors




RELOCATION FLEXIBILITY

DIVIDE is a bi-block demountable partition. Individual panels can be removed from either side without a double-sided disturbance. Panels can be easily handled by one or two men. Any individual panels that may be damaged can easily be replaced without having to replace the whole module.

CABLE MANAGEMENT FLEXIBILITY

DIVIDE's load-bearing structure provides a huge cable raceway allowing the cable to be brought up from the raised floor or down from the ceiling almost anywhere within the partition. Panels can easily be opened for conduits and wiring that may be required for card readers, light switches, LCD screens, etc. So that they can be mounted at a convenient place on the surface. Cabling can also be run inside the floor and ceiling track where glass modules are located.



ACOUSTICS & GLAZING

EXCELLENT ACOUSTICS PERFORMANCE


- Solid partition with range of finishes
- Double or Single glazed partition (6mm & 8mm glass)
- Acoustic rating (Independent lab results)
- · Solid 48 dB
- · Double glazed 47 dB

GLAZING OPTIONS

Flush glazing is available where glass panels are bonded onto the aluminium frames using structural tape. This feature provides a seamless glass appearance along corridors especially when used in conjunction with double glass doors. Minimal aluminium frames are also available, which provide a sleek appearance yet allow for glass with unpolished edges to be fitted which helps to save costs.


CUSTOMISATION

JEB's in-house design team can customise components to suit any given project.



HARDWARE

Hinges should be JEB proprietary offset pivot hinge, available for frameless doors or as a heavy-duty version for double glazed doors. The hinges come with a standard mounting bracket to suit DORMA floor springs. Handles and lockset can be selected from JEB's standard range of hardware.



STANDARD FINISHES

Anodising - matt natural, black and other options available on request

Powdercoating – according to design specifications


PVF2 - According to design specifications.

ACCESSORIES

Manual / electric Venetian Blinds Custom Glass Designs

Custom screens in partition cavity Switchable Glass





DI/IDE TECHNICAL DATA SHEET

| Type Construction | Double Solid Panel | Double Glazed System |
|--------------------------|---------------------------|---|
| Panel face / Finish - | Solid Panel - 49 dB | 6+6mm Double Glazed Panel - 42 dB |
| Sound insulation in STC | | 6+8mm Double Glazed Panel - 47 dB |



www.jebpartitions.com