

SUMMIT





SUMMIT reflects JEB's pledge to innovation. It features single and double-glazed partitions, slim-frame acoustic sliding doors, with quality guaranteed by ISO-certified laboratory tests. Its minimal extrusions allow contractors to install the system with ease.



# SYSTEM FEATURES

- Flush floor track with adjustable rollers +/- 5mm
- JEB custom acoustic bulb seals
- Field tested to 35STC with 6+6mm laminated glass
- Ultra slim 38mm frames
- Lockable pull handle or custom patch lock
- Overhead structural support eliminated







-FLOOR GUIDE

## TECH DRAWINGS

SINGLE GLAZED PARTITION & SLIDING DOOR






- ACOUSTIC FLOOR ROLLER


-FLOOR GUIDE



DOUBLE GLAZED PARTITION & SLIDING DOOR




HORIZONTAL SECTION




## TECH DRAWINGS

DOUBLE GLAZED PARTITION & SWING DOOR



#### HARDWARE

Hinges should be JEB proprietary offset pivot hinge, available for frameless doors or as a heavy-duty version for double glazed doors. The hinges come with a standard mounting bracket to suit DORMA floor springs. Handles and lockset can be selected from JEB's standard range of hardware.



### STANDARD FINISHES

Anodising – matt natural, black and other options available on request Powdercoating – according to design specifications

PVF2 – According to design specifications.

### ACCESSORIES

Manual / electric Venetian Blinds
Custom Glass Designs

Custom screens in partition cavity
Switchable Glass






### SUMMIT TECHNICAL DATA SHEET

Please note that the table represents actual lab test performance

Type Construction	Single Sliding Door	Double Glazed Partition
Panel face / Finish - Sound insulation in STC	13.52mm laminated Glass – 34 dB	5+1.52+5mm, Cavity Width 33mm, Inner Pane: 5+1.52+5mm  - STC 45



www.jebpartitions.com