

SUMMIT




SUMMIT reflects JEB's pledge to innovation. It features single and double-glazed partitions, slim-frame acoustic sliding doors, with quality guaranteed by ISO-certified laboratory tests. Its minimal extrusions allow contractors to install the system with ease.



SYSTEM FEATURES


- Flush floor track with adjustable rollers +/- 5mm
- JEB custom acoustic bulb seals
- Ultra slim 38 mm frames
- Lockable pull handle or custom patch lock
- Overhead structural support eliminated




HO5 HORIZONTAL SECTION
SINGLE GLAZED SLIDING DOOR w/ SINGLE GLAZED PARTITION

TECH DRAWINGS


SINGLE GLAZED PARTITION & SLIDING DOOR





15x25x50 (BLACK ONLY)

OFFICE INSIDE




VERTICAL SECTION
SINGLE GLAZED SLIDING DOOR

VERTICAL SECTION
SLIDING DOOR SIDELIGHT W/
15mm HEIGHT BOTTOM CHANNEL


OFFICE OUTSIDE


VO5A VERTICAL SECTION
SLIDING DOOR SIDELIGHT W/
38mmHEIGHT BOTTOM CHANNEL




HOS HORIZONTAL SECTION

DOUBLE GLAZED PARTITION w/ SINGLE GLAZED SLIDING DOOR








TECH DRAWINGS

V01 VERTICAL SECTION
DOUBLE GLAZED PARTITION

VO7 VERTICAL SECTION
SINGLE GLAZED SLIDING DOOR


VERTICAL SECTION
SLIDING DOOR SIDELIGHT W/
38mm DOUBLE GLAZED
BOTTOM PROFILE





HO3 HORIZONTAL SECTION
DOUBLE GLAZED PARTITION w/ DOUBLE GLAZED DOOR


TECH DRAWINGS

DOUBLE GLAZED PARTITION & SWING DOOR










HARDWARE

Hinges should be JEB proprietary offset pivot hinge, available for frameless doors or as a heavy-duty version for double glazed doors. The hinges come with a standard mounting bracket to suit DORMA floor springs. Handles and lockset can be selected from JEB's standard range of hardware.



STANDARD FINISHES


Anodizing – matt natural, black and other options available on request Powdercoating – according to design specifications

PVF2 – According to design specifications.

ACCESSORIES

Manual / electric Venetian Blinds
Custom Glass Designs

Custom screens in partition cavity
Switchable Glass





SUMMIT TECHNICAL DATA SHEET

Please note that the table represents actual lab test performance

Type Construction	Single Glazed Sliding Door	Double Glazed Partition
Panel face / Finish - Sound insulation in STC	13.52 mm Laminated Glass – STC 34 dB	11.52 mm Laminated Glass + 33 mm air gap + 13.52 mm Laminated Glass - STC 45 dB



www.jebpartitions.com